

Safety Data Sheet

Issue Date: 03-Mar-2006 Revision Date 01-Apr-2020 Version 1

1. IDENTIFICATION

Product Identifier

Product Name COLLODION II

Other means of identification

SDS # MDHVCOLII, MDCOL II

UN/ID No UN2059

Recommended use of the chemical and restrictions on use
Recommended Use Medical skin coating.

Details of the supplier of the safety data sheet

Supplier Address

Mavidon

110 Commercial Blvd. Flat Rock, NC 28731 USA

Emergency Telephone Number

Company Phone Number 561-585-2227

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

2. HAZARDS IDENTIFICATION

Appearance Very viscous amber liquid Physical State Liquid Odor Ester Sweet

clear

Classification

| Serious eye damage/eye irritation | Category 2 |
|--|------------|
| Specific target organ toxicity (single exposure) | Category 3 |
| Flammable Liquids | Category 2 |

Signal Word Danger

Hazard Statements

Causes serious eye irritation May cause drowsiness or dizziness Highly flammable liquid and vapor





Precautionary Statements - Prevention

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. — No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Keep cool

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

See Section 4 for additional first aid information

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IN CASE OF FIRE: Use CO2, dry chemical, or alcohol resistant foam to extinguish.

Precautionary Statements - Storage

Store in a well-ventilated place. Keep container tightly closed

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No | Weight-% |
|-------------------|-----------|----------|
| Ethyl acetate | 141-78-6 | 85-95 |
| Isopropyl Alcohol | 67-63-0 | 3-7 |
| Cellulose nitrate | 9004-70-0 | 5-10 |

^{**}If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.**

4. FIRST-AID MEASURES

First Aid Measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention.

Skin Contact Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Use Collodion Remover or acetone to remove Collodion residue. Wash contaminated

clothing before reuse. If skin irritation persists, call a physician.

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

symptoms persist, call a physician.

Ingestion If conscious give 2 glasses of water to dilute. Do not induce vomiting. Never give anything

by mouth to an unconscious person. Seek medical attention.

Most important symptoms and effects

Symptoms Causes serious eye irritation. Direct contact with skin can cause irritation or redness. Mist

or vapor inhalation can cause irritation to the nose, throat, and upper respiratory tract. May cause drowsiness or dizziness. May cause nausea, vomiting, stomach ache, and diarrhea.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon dioxide (CO2). Dry chemical. Alcohol resistant foam. Use water spray to cool fire-exposed containers.

Unsuitable Extinguishing Media Not determined.

Specific Hazards Arising from the Chemical

Highly flammable liquid and vapor. Closed containers may explode due to buildup of pressure when exposed to extreme heat. Vapors may travel to source of ignition and flash back. Vapors may cause flash fire.

Hazardous Combustion Products Products of combustion include compounds of carbon, hydrogen, and oxygen, including carbon monoxide. Acrid smoke and fumes emitted if heated to decomposition.

Sensitivity to Static Discharge Take precautionary measures against static discharge.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Evacuate personnel to safe areas.

Ventilate affected area.

Environmental Precautions Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS. For spills in excess of allowable limits (RQ) notify the National Response Center (800) 424-8802; refer to SARA Title III, Section 313 40 CFR 372, and CERCLA 40 CFR 302 for

detailed instructions concerning reporting requirements.

Methods and material for containment and cleaning up

Methods for Containment Contain with dirt or material which is nonreactive and non-flammable. Prevent further

leakage or spillage if safe to do so.

Methods for Clean-Up Absorb spillage with non-combustible, absorbent material. Sweep up and shovel into

suitable containers for disposal. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Use personal protection recommended in Section 8. Avoid contact with skin, eyes or

clothing. Wash face, hands, and any exposed skin thoroughly after handling. Avoid breathing vapors or mists. Use only outdoors or in a well-ventilated area. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Ground/bond container and receiving equipment. Use non-sparking hand tools and explosion-proof electrical equipment. Take precautionary measures against static discharges. Containers, even those that have been emptied, can contain explosive vapors. Do not cut, drill, grind, weld or perform similar operations on or near containers. Handle in accordance with good industrial

hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Protect

container from physical damage.

Incompatible Materials Strong oxidizers. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------------------|-------------------------------|--|---|
| Ethyl acetate 141-78-6 | TWA: 400 ppm | TWA: 400 ppm TWA: 1400 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 1400 mg/m³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 1400 mg/m ³ |
| Isopropyl Alcohol 67-63-0 | STEL: 400 ppm TWA: 200 ppm | TWA: 400 ppm TWA: 980 mg/m³ (vacated) TWA: 400 ppm (vacated) TWA: 980 mg/m³ (vacated) STEL: 500 ppm (vacated) STEL: 1225 mg/m³ | IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m³ STEL: 500 ppm STEL: 1225 mg/m³ |

Appropriate engineering controls

Engineering Controls Apply technical measures to comply with the occupational exposure limits. Eyewash

stations. Showers.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Chemical anti-splash safety goggles. Eye protection must be provided in accordance with

OSHA regulations (29 CFR 1910.133), ANSI Z87.1, or European Standard EN 166, as

applicable.

Skin and Body Protection Neoprene or rubber gloves with cuffs. Suitable protective clothing.

Respiratory Protection None required; however, if misting occurs, NIOSH approved respirator capable of removing

particulate from air must be worn. Respiratory protection must be provided in accordance with OSHA regulations (29 CFR 1910.134) or European Standard EN 149, as applicable.

Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash face, hands

and any exposed skin thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid

AppearanceVery viscous amber liquid clearOdorEster SweetColorAmberOdor ThresholdNot determined

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not determined
Melting Point/Freezing Point Not determined

Boiling Point/Boiling Range 77.8 °C / 172 °F Flash Point 74.4 °C / 24 °F

Evaporation Rate < 1
Flammability (Solid, Gas) Liquid-not applicable

Upper Flammability Limits 12.0%
Lower Flammability Limit 2.0%

Vapor Pressure 76 mmHg
Vapor Density >1
Specific Gravity 0.958

Water Solubility Slightly soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

Tag Closed Cup (Water = 1)

@ 20 C (Air=1) (1=Water)

10. STABILITY AND REACTIVITY

Reactivity

Not reactive under normal conditions.

Chemical Stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid

Keep out of reach of children. Extreme high temperatures, sparks and openflames.

Incompatible Materials

Strong oxidizers. Strong acids.

Hazardous Decomposition Products

Decomposition will not occur if handled and stored properly. In case of fire, oxides of carbon, hydrocarbons, fumes or vapors, and smoke may be produced.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Eye Contact Causes serious eye irritation.

Skin Contact Avoid contact with skin.

Inhalation Avoid breathing vapors or mists.

Ingestion Do not taste or swallow.

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--------------------------------|--------------------|-------------------------------|-----------------------|
| Ethyl acetate | = 5620 mg/kg (Rat) | > 20 mL/kg (Rabbit) > 18000 | - |
| 141-78-6 | | mg/kg (Rabbit) | |
| Isopropyl Alcohol | = 4396 mg/kg (Rat) | = 12800 mg/kg (Rat) = 12870 | = 72.6 mg/L (Rat) 4 h |
| 67-63-0 | | mg/kg (Rabbit) | |
| Cellulose nitrate 9004-70-0 | > 5 g/kg (Rat) | - | - |

Information on physical, chemical and toxicological effects

Symptoms Please see section 4 of this SDS for symptoms.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

However, the product as a whole has not been tested. Cellulose nitrate is considered an

IARC 2A carcinogen when used in manufacturing of some paints. Group 3 IARC

components are "not classifiable as human carcinogens".

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|--------------------------------|-------|----------|-----|------|
| Isopropyl Alcohol 67-63-0 | | Group 3 | | X |
| Cellulose nitrate 9004-70-0 | | Group 2A | | Х |

IARC (International Agency for Research on Cancer)

Group 2A - Probably Carcinogenic to Humans

Group 3 IARC components are "not classifiable as human carcinogens"

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

STOT - single exposure May cause drowsiness or dizziness.

Numerical measures of toxicity

Not determined

12. ECOLOGICAL INFORMATION

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component Information

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to microorganisms | Crustacea |
|------------------------------|--|---|----------------------------|---|
| Ethyl acetate 141-78-6 | 3300: 48 h Desmodesmus subspicatus mg/L EC50 | 220 - 250: 96 h Pimephales promelas mg/L LC50 flow-through 484: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 352 - 500: 96 h Oncorhynchus mykiss mg/L LC50 semi-static | | 560: 48 h Daphnia magna mg/L EC50 Static |
| Isopropyl Alcohol 67-63-0 | 1000: 96 h Desmodesmus subspicatus mg/L EC50 1000: 72 h Desmodesmus subspicatus mg/L EC50 | 9640: 96 h Pimephales promelas mg/L LC50 flow-through 11130: 96 h Pimephales promelas mg/L LC50 static 1400000: 96 h Lepomis macrochirus µg/L LC50 | | 13299: 48 h Daphnia magna mg/L EC50 |

Persistence/Degradability

Not determined.

Bioaccumulation

Not determined.

Mobility

| Chemical Name | Partition Coefficient |
|------------------------------|-----------------------|
| Ethyl acetate 141-78-6 | 0.6 |
| Isopropyl Alcohol 67-63-0 | 0.05 |

Other Adverse Effects

Not determined

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Disposal of Wastes Disposal should be in accordance with applicable regional, national and locallaws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and locallaws and

regulations.

US EPA Waste Number

| Chemical Name | RCRA | RCRA - Basis for Listing | RCRA - D Series Wastes | RCRA - U Series Wastes |
|---------------|------|---------------------------|------------------------|------------------------|
| Ethyl acetate | | Included in waste stream: | | U112 |
| 141-78-6 | | F039 | | |

<u>California Hazardous Waste Status</u> This product contains one or more substances that are listed with the State of California as a hazardous waste

| Chemical Name | California Hazardous Waste Status |
|-------------------|-----------------------------------|
| Ethyl acetate | Toxic |
| 141-78-6 | Ignitable |
| Isopropyl Alcohol | Toxic |
| 67-63-0 | Ignitable |
| Cellulose nitrate | Ignitable |
| 9004-70-0 | Reactive |

14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

limited quantity exception.

DOT

UN/ID No UN2059

Proper Shipping Name Nitrocellulose, solution, flammable

Hazard Class 3
Packing Group ||

IATA

UN/ID No UN2059

Proper Shipping Name Nitrocellulose, solution, flammable

Hazard Class 3
Packing Group ||

IMDG

UN/ID No UN2059

Proper Shipping Name Nitrocellulose, solution, flammable

Hazard Class 3
Packing Group II

15. REGULATORY INFORMATION

International Inventories

TSCA All ingredients are listed or exempt from listing on Chemical Substance Inventory

DSLListedNDSLListedEINECSListed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

US Federal Regulations

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|--------------------------|
| Ethyl acetate | 5000 lb | | RQ 5000 lb final RQ |
| 141-78-6 | | | RQ 2270 kg final RQ |

SARA 311/312 Hazard Categories

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | No |
| Fire Hazard | Yes |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Revision Date 18-Jan-2018

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No | Weight-% | SARA 313 - Threshold Values % |
|-----------------------------|---------|----------|----------------------------------|
| Isopropyl Alcohol - 67-63-0 | 67-63-0 | 3-7 | 1.0 |

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|--------------------------------|------------|---------------|--------------|
| Ethyl acetate 141-78-6 | X | X | X |
| Isopropyl Alcohol 67-63-0 | X | X | X |
| Cellulose nitrate 9004-70-0 | X | X | X |

16. OTHER INFORMATION

| <u>NFPA</u> | Health Hazards | Flammability | Instability | Special Hazards |
|-------------|-----------------------|----------------|------------------|----------------------------|
| | Not determined | Not determined | Not determined | Not determined |
| <u>HMIS</u> | Health Hazards | Flammability | Physical Hazards | Personal Protection |
| | 1 | 4 | 0 | В |

Issue Date:03-Mar-2006Revision Date:01-Apr-2020Revision Note:Address Update

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet